
AMS GROUP
OF COMPANIES

AFRICAN MARITIME SERVICES

AMS Marine Services FISHING DIVISION

HARDWARE: PURSE SEINE



INDEX

BMM KP Purse Blocks 10t to 30t	2
Boss Purse Rings	3
Boss Hooks	3
Boss Stainless Steel Hooks 1t to 2.25t	4
Split Links	5
EVA (Ethylene Vinyl Acetate) foam Purse Seine floats	6

Cape Town +27 (0)21-510 3532
✉ info@africanmaritime.co.za

Mossel Bay +27 (0)44-023 0028
✉ info@africanmaritime.co.za


Walvis Bay & Lüderitz +264 (0)64 209 469
✉ fishing@amsmarine.com.na

PURSE SEINE HARDWARE

BMM KP Purse Blocks 10t to 30t

Galvanized


Part no.	WLL 5:1	Max load on firm eye headfitting	A	B	B_1	D	E	F	G	H	H_1	I	Weight
	ton	kg	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
KP300/120-2RCGH	10	20	690	120	125	300	60	250	240	90	60	39	84
KP370/120-2RCGH	15	30	780	120	125	370	62	260	285	97	99	60	133



Against extra charge all blocks are available with:


C Tested with certificate.
H Flame hardened sheave.
R Firm Eye.

On order add letter, e.g. KP300/120-2RCGH



Galvanized

Part no.	WLL 5:1	A	B	B_1	D	E	F	G	Weight
	ton	mm	mm	mm	mm	mm	mm	mm	kg
KP300	11	680	120	124	300	62	247	240	88
KP370	13	902	119	127	370	64	250	305	118
KP500	20	1137	180	185	500	75	410	380	425
KP600	30	1247	180	185	600	93	410	480	555



Against extra charge all blocks are available with:


E Swivel eye.
F Swivel fork.
S Swivel shackle eye.
I Icedavit eye.

On order add letter, e.g. KP500E

Against extra charge all blocks are available with:

C Tested with certificate.
H Flame hardened sheave.

On order add letter, e.g. KP500EC




PURSE SEINE HARDWARE

Boss Purse Rings

Stainless Steel


Part no.	WLL 3:1 tonne	Thick- mm	A mm	B mm	C mm	E mm	F mm	kg
LINKBOSS 220S	1	22	75	130	200	45	39	2,1
LINKBOSS 230S	1	25	95	150	230	50	45	3
LINKBOSS 240S	1,2	30	110	165	260	55	50	4,1
LINKBOSS 250S	1,3	33	110	170	260	55	52	4,7
LINKBOSS 260S	2	42	110	170	265	55	53	6,1
LINKBOSS 285S	3	50	115	180	275	55	53	8,5



Boss Hooks

Stainless Steel


Part no.	WLL ton	A mm	B m	C m	D mm	E mm	k
HOOKBOSS S5S	1,00	27	66	111	23	19	0,5
HOOKBOSS S6S	1,25	38	77	132	27	25	0,6
HOOKBOSS S7S	2,25	37	90	153	27	29	1,2



Boss Stainless Steel Hooks 1t to 2.25t


Boss choker hooks - Stainless steel

Stock code	Dimensions (mm)			M.B.L.	Weight
	A	B	C	(ton)	(kg)
HOOKBCH10	45	78	175	12.0	2.75
HOOKBCH11	63	100	225	18.0	5.50
HOOKBCH12	87	130	287	25.0	10.0



Boss towing hooks - Stainless steel


Stock code	W.L.L.	Dimensions (mm)			Weight
	(ton)	A	B	C	(kg)
HOOKBTOW10	1.0	80	160	283	4.00
HOOKBTOW15	9.6	75	200	340	15.8



Boss quick release hooks - Stainless steel


Stock code	W.L.L.	Dimensions (mm)				Weight
	(ton)	A	B	C	F	(kg)
HOOKBQR2	2.0	165	138	23	v.500kg = 10kg v.900kg = 13kg	1.60

Maximum working load for lifting = 2 ton + split.



Boss hooks - Stainless steel

Stock code	W.L.L.	Dimensions (mm)					Weight
	(ton)	A	B	C	D	E	(kg)
HOOKBH05	1.0	27	66	11111	23	19	0.5
HOOKBH06	1.25	38	77	132	27	25	0.6
HOOKBH07	2.25	37	90	153	27	29	1.2




PURSE SEINE HARDWARE

Split Links


Split links - Galvanised

Stock code	Size (inch)	ø (mm)	W.L.L. (ton)	Dimensions (mm) A	B	Weight (kg)
LINKSPLITG10	3/8”	10	0.1	50	16	8.5
LINKSPLITG12	1/2”	12	0.2	55	18	16.5
LINKSPLITG16	5/8”	16	0.3	72	21	33.0
LINKSPLITG19	3/4”	19	0.5	80	24	50.0
LINKSPLITG22	7/8”	22	0.6	88	27	75.0




Split links - Stainless steel

Stock code	Size (inch)	ø (mm)	W.L.L. (ton)	Dimensions (mm) A	B	Weight (kg)
LINKSPLITSS10	3/8”	10	0.2	50	16	8.5
LINKSPLITSS12	1/2”	13	0.3	55	18	16.5
LINKSPLITSS16	5/8”	16	0.4	72	21	33.0
LINKSPLITSS19	3/4”	19	0.5	80	24	50.0
LINKSPLITSS22	7/8”	22	0.6	88	27	75.0




Split links - Chrome

Stock code	Size (inch)	ø (mm)	W.L.L. (ton)	Dimensions (mm) A	B	Weight (kg)
LINKSPLITCH14	9/16”	14	0.5	60	18	20.0
LINKSPLITCH16	5/8”	16	0.7	72	21	33.0
LINKSPLITCH19	3/4”	19	1.4	80	23	55.0
LINKSPLITCH22	7/8”	22	1.8	88	27	75.0



Split links - Boss - Stainless steel

Stock code	W.L.L. (ton)	Dimensions (mm) A	B	C	Weight (kg)
LINKBOSSDL18	0.2	78	45	18	0.17
LINKBOSSDL19	0.4	79	50	24	0.27
LINKBOSSDL20	0.5	82	55	24	0.30
LINKBOSSDL21	1.4	108	63	25	0.70
LINKBOSSDL22	1.3	106	68	33	0.60



EVA (Ethylene Vinyl Acetate) FOAM PURSE SEINE FLOATS

Compared to traditional PVC or synthetic rubber options, offer several physical advantages:

- **Zero Water Absorption:** They maintain maximum buoyancy because they do not soak up water over long periods.
- **Extreme Durability:** They are impact-resistant and flexible enough to pass through commercial net-haulers (power blocks) without cracking, shrinking, or deforming.
- **Weather & UV Resistance:** Built to withstand severe marine environments and intense sunlight exposure without degradation.



SHE EVA Floats

Item	Specification(± 5%)		
	L x OD x HD (mm)	Weight (g)	Buoyancy (g)
SHE-40	208 x 185 x 37	585	3 800
SHE-50	225 x 202 x 40	786	5 000
SHE-70	250 x 220 x 42	1 000	7 000



SHBB Bullet Floats

Item	Specification(± 5%)		
	L x OD x HD (mm)	Weight (g)	Buoyancy (g)
SHBB-1	356 x 153 x 25	600	5,000
SHBB-2	356 x 178 x 25	900	5,700